


**TB-22 HYDRAULIC BENDING TOOL**

- For accurate one handed bending up to 90°, suit for 10-22mm(1/4"-7/8") thickness below 1.0mm copper pipe
- Ideal in confined spaces
- Quick release and resetting of bending formers
- Bending formers easily changed
- Optimal bending results

**Technical data**

Former in inch		Former in metric	
Size	Weight	Size	Weight
1/4 "	0.08kgs	10mm	0.20kgs
5/16 "	0.09kgs	12mm	0.24kgs
3/8 "	0.09kgs	14mm	0.30kgs
1/2 "	0.13kgs	15mm	0.30kgs
5/8 "	0.145kgs	16mm	0.30kgs
3/4 "	0.19kgs	18mm	0.38kgs
7/ 8"	0.21kgs	20mm	0.41kgs
		22mm	0.42kgs

**TBJ-32 MANUAL BENDING TOOL**

- For accurate one handed bending up to 90°, suit for copper and XPAP, PEX pipe
- Ideal in confined spaces
- Quick release and resetting of bending formers
- Bending formers easily changed
- Optimal bending results

**Technical data**

Former in metric			
Size	Weight	Copper pipe	XPAP, PEX pipe
16mm	0.14kgs	√	√
20mm	0.18kgs	√	√
26mm	0.24kgs	×	√
32mm	0.42kgs	×	√


**TBJ-22 MANUAL BENDING TOOL**

- For accurate one handed bending up to 90°, suit for 10-22mm(1/4"-7/8") thickness below 1.5mm copper pipe
- Ideal in confined spaces
- Quick release and resetting of bending formers
- Bending formers easily changed
- Optimal bending results

**Technical data**

Former in inch		Former in metric	
Size	Weight	Size	Weight
1/4 "	0.08kgs	10mm	0.20kgs
5/16 "	0.09kgs	12mm	0.24kgs
3/8 "	0.09kgs	14mm	0.30kgs
1/2 "	0.13kgs	15mm	0.30kgs
5/8 "	0.145kgs	16mm	0.30kgs
3/4 "	0.19kgs	18mm	0.38kgs
7/ 8"	0.21kgs	20mm	0.41kgs
		22mm	0.42kgs